



Bendix



**ULTIMATE
4WD**

UPGRADED



WWW.BENDIX.COM.AU



*Put your foot down
with confidence™*

ULTIMATE 4WD™ BRAKE UPGRADE KIT

Scan here for more info:



Bendix Ultimate 4WD™ Brake Upgrade Kits are available for popular 4WD wagons and dual cab utes. Featuring advanced brake pads and rotors, braided lines and a host of ancillary items, you can work, explore or tow knowing that you can stop safely with Bendix.

ULTIMATE 4WD™ BRAKE PADS

FEATURES:	BENEFITS:
Ceramic Material	<ul style="list-style-type: none"> Low Dust, Low Noise, while providing high temperature stability and excellent fade resistance
Mechanical retention system backing plate	<ul style="list-style-type: none"> MRS technology used in commercial vehicle brake pads, for improved pad attachment strength, for heavy duty operating conditions
Designed for Slotted Rotors	<ul style="list-style-type: none"> Works best with slotted rotors, delivers confident stopping in all conditions

ULTIMATE 4WD™ ROTORS

FEATURES:	BENEFITS:
4WD Metallurgy	<ul style="list-style-type: none"> Disc brake rotor manufactured using SAE J431 material standards, robust, higher strength, wear resistance for durability in all conditions. Designed to withstand the demanding punishment that your 4WD dishes out
Diamond Tip Slot	<ul style="list-style-type: none"> Allows gasses to escape in heavy duty driving, delivering consistent output Better self cleaning for off road conditions
SwiftFit	<ul style="list-style-type: none"> Protective zinc coating which is ready to fit
Pillar Construction	<ul style="list-style-type: none"> Improved thermal stability

ULTIMATE 4WD™ BRAKE HOSE

FEATURES:	BENEFITS:
Braided line with protection sleeve	<ul style="list-style-type: none"> Delivers a firm brake pedal, that won't over expand under high pressure
Meets SAE J1401	<ul style="list-style-type: none"> Compliant to international design standards, won't affect warranty
Designed to fit	<ul style="list-style-type: none"> Fits your application without any modification



ULTIMATE 4WD™ BRAKE DRUM UPGRADE KIT

Bendix Ultimate 4WD™ Brake Drum Upgrade Kits are available for popular 4WD wagons and dual cab utes. Featuring advanced brake drums and brake shoe kit and ancillary items.

ULTIMATE 4WD™ BRAKE DRUMS

FEATURES:	BENEFITS:
High Carbon Metallurgy	<ul style="list-style-type: none"> Increases brake performance & stopping power
SwiftFit	<ul style="list-style-type: none"> Protective zinc coating which is ready to fit
Epoxy Coated Hub	<ul style="list-style-type: none"> With corrosion inhibitors for a great look and will not degrade over time

ULTIMATE 4WD™ BRAKE SHOE KIT

FEATURES:	BENEFITS:
GG Friction rated	<ul style="list-style-type: none"> Higher friction than OE for better stopping performance
Black painted steel shoe	<ul style="list-style-type: none"> Improved corrosion resistance
Built tough	<ul style="list-style-type: none"> Superior strength and durability



Front Kit Contents

- 2 × Ultimate 4WD™ Brake Rotors
- 1 × Set of Ultimate 4WD™ Brake Pads
- 1 × Vehicle Set Ultimate 4WD™ Brake Hose
- 1L Heavy Duty Brake Fluid
- 1 × Can Bendix Cleanup
- 1 × Tube Ceramasil™ Brake Parts Lubricant
- Bendix rotor wipes
- 1 × 60L Icebox




Rear Kit Contents

- 2 × Ultimate 4WD™ Brake Rotors
- 1 × Set of Ultimate 4WD™ Brake Pads
- 1 × Can Bendix Cleanup
- Bendix rotor wipes
- 1 × HD touring case

NOTE: Images for illustration purposes only. Contents may vary.

Ultimate 4WD™ Brake Upgrade Kit vs OEM Brakes



Note: Varies per vehicle, load carried and road conditions.



Kit Contents

- 2 × Ultimate 4WD™ Brake Drums
- 1 × Ultimate 4WD™ Brake Shoe Kit
- 1 × Can Bendix Cleanup

Scan here for more info:



ULTIMATE™ 4WD **BIG BRAKE** UPGRADE KIT



Scan here for more info:



Bendix Ultimate 4WD™ Big Brake Upgrade Kits are available for selected 4WD wagons and dual cab utes. Featuring advanced brake pads, disc brake rotors, calipers, braided lines and a host of ancillary items, you can work, explore or tow knowing that you can stop safely with Bendix.

Why do the brake upgrade?

- 4x4 ute's brakes are smaller dimensioned to many of the family cars and SUVs.
- Once additional accessories and load is added, braking performance deteriorates further. It is not uncommon to see 400+ kgs of additional accessories added to the base vehicle (i.e. bull bar, winch, lights, roof-rack, fridges, camping equipment, etc).
- Larger diameter tyres also detract from the vehicles braking performance.



OE Disc Brake Rotor & Caliper



BENDIX ULTIMATE 4WD™ BIG BRAKE UPGRADE KIT
Front Disc Brake Rotor & Caliper

Drum to Disc conversion: How Does it work?

The Ultimate 4WD™ Big Brake Upgrade Kit (Rear Kit) comes with a full drum to disc conversion kit.

The conversion kit removes all OE drum assembly and replaces it with the brake disc and hydraulic caliper.

The kit also contains a replacement park brake mechanism within the drum that is operated by the OE park brake cable.

The installation of the kit requires the removal of all components from the vehicle axles. This is why the kit comes complete with replacement bearings and seals (ABS rings and collars in some kits).



OE Drum Brake



BENDIX ULTIMATE 4WD™ BIG BRAKE UPGRADE KIT
Rear Disc Brake Rotor & Caliper

ULTIMATE 4WD™ BRAKE PADS

FEATURES:	BENEFITS:
Ceramic Material	<ul style="list-style-type: none"> ■ Low Dust, Low Noise, while providing high temperature stability and excellent fade resistance
Mechanical retention system backing plate	<ul style="list-style-type: none"> ■ MRS technology used in commercial vehicle brake pads, for improved pad attachment strength, for heavy duty operating conditions
Designed for Slotted Rotors	<ul style="list-style-type: none"> ■ Works best with slotted rotors, delivers confident stopping in all conditions

ULTIMATE 4WD™ ROTORS

FEATURES:	BENEFITS:
4WD Metallurgy	<ul style="list-style-type: none"> ■ Disc brake rotor manufactured using SAE J431 material standards, robust, higher strength, wear resistance for durability in all conditions. Designed to withstand the demanding punishment that your 4WD dishes out
Diamond Tip Slot	<ul style="list-style-type: none"> ■ Allows gasses to escape in heavy duty driving, delivering consistent output ■ Better self cleaning for off road conditions
SwiftFit	<ul style="list-style-type: none"> ■ Protective zinc coating which is ready to fit
Pillar Construction	<ul style="list-style-type: none"> ■ Improved thermal stability

ULTIMATE 4WD™ BRAKE HOSE

FEATURES:	BENEFITS:
Braided line with protection sleeve	<ul style="list-style-type: none"> ■ Delivers a firm brake pedal, that won't over expand under high pressure
Meets SAE J1401	<ul style="list-style-type: none"> ■ Compliant to international design standards, won't affect warranty
Designed to fit	<ul style="list-style-type: none"> ■ Fits your application without any modification



Front Kit Contents


- 2 × Ultimate 4WD™ Disc Brake Rotors
- 1 Set × Ultimate 4WD™ Brake Pads
- 2 × Bendix 6-Piston Monoblock Calipers
- Bracket Mounting Kit
- 1 Front Set × Ultimate 4WD™ Brake Hoses
- 1 Litre Heavy Duty Brake Fluid
- ADR Certification
- 1 × Can Bendix Cleanup
- 1 × Tube Ceramasil™ Brake Parts Lubricant
- 1 × 60L Icebox

Rear Kit Contents

- 2 × Ultimate 4WD™ Disc Brake Rotors
- 1 Set × Ultimate 4WD™ Brake Pads
- 2 × Bendix Calipers
- Bracket Mounting Kit
- Park Brake Mechanism
- 1 Rear Set × Ultimate 4WD™ Brake Hoses
- 1 Litre Heavy Duty Brake Fluid
- ADR Certification
- 1 × Can Bendix Cleanup
- 1 × Tube Ceramasil™ Brake Parts Lubricant
- 1 × 60L Icebox

NOTE: Images for illustration purposes only. Contents may vary.

Ford Ranger Stopping Distance Data 80–0 km/h



NOTE: Varies per vehicle, load carried and road conditions.

MODEL	YEAR	CHASSIS	SERIES	FITTING POSITION	BRAKE UPGRADE KIT	BRAKE UPGRADE KIT FITMENT NOTES					
FORD											
EVEREST	07/2015 - on	UA UAI	2.0 TDCi 2.0 TDCi 4WD 3.2 TDCi 3.2 TDCi 4WD	Front	U4WD-BUK20	For standard (0") Lift from 06/2018 (UAI Model)					
					U4WD-BUK20+2	For 2" (50mm) Lift from 06/2018 (UAI model)					
					U4WD-BUK77	For standard (0") Lift up to 06/2018 (UA I model)					
					U4WD-BUK77+2	For 2" (50mm) Lift up to 06/2018 (UA I model)					
				Rear	U4WD-BUK36						
RANGER	11/2006 - 11/2011	PJ PK	2.5 TDDi 2.5 TDDi 4x4 2.5 TDDi All-wheel Drive 3.0 TD 3.0 TD All-wheel Drive 3.0 TDDi 3.0 TDDi 4x4	Rear	U4WD-DBUK731						
RANGER	07/2018 - on	PX	2.0 TDCi Bi-Turbo 2.0 TDCi Bi-Turbo 4x4 2.0 TTD 4x4	Front	U4WD-BBUK200F	For Standard (0") and 2" (50mm) lift. Requires 18" wheels or larger					
				Rear	U4WD-D2D300R	For Standard (0") lift. Requires 15" wheels or larger					
					U4WD-D2D300R+2	For 2" (50mm) lift. Requires 15" wheels or larger					
					U4WD-D2D300R4P	For Standard (0") lift. Requires 15" wheels or larger 4-Pot Caliper					
					U4WD- D2D300R4P+2	For 2" (50mm) lift. Requires 15" wheels or larger 4-Pot Caliper					
RANGER	11/2011 - 06/2015	PX	2.2 TDDi 2.2 TDDi 4x4 2.5 i	Front	U4WD-BBUK200F	For Standard (0") and 2" (50mm) lift. Requires 18" wheels or larger					
					U4WD-BUK9	Standard height vehicle.					
					U4WD-BUK9+2	Raised height, 50mm (2") lift.					
					U4WD-BUK9+4	Raised height, 100 mm (4") lift.					
				Rear	U4WD-D2D300R	For Standard (0") lift. Requires 15" wheels or larger					
					U4WD-D2D300R+2	For 2" (50mm) lift. Requires 15" wheels or larger					
					U4WD-D2D300R4P	For Standard (0") lift. Requires 15" wheels or larger 4-Pot Caliper					
					U4WD- D2D300R4P+2	For 2" (50mm) lift. Requires 15" wheels or larger 4-Pot Caliper					
					RANGER	11/2011 - on	PX	2.2 TDDi 2.2 TDDi 4x4 3.2 TDDi 3.2 TDDi 4x4	Front	U4WD-BBUK200F	For Standard (0") and 2" (50mm) lift. Requires 18" wheels or larger
										U4WD-BUK9	Standard height vehicle.
	Not for PX3 models										
U4WD-BUK9+2	Raised height, 50mm (2") lift. Not for PX3 models										
U4WD-BUK9+4	Raised height, 100 mm (4") lift. Not for PX3 models										
Rear	U4WD-D2D300R	For Standard (0") lift. Requires 15" wheels or larger									
	U4WD-D2D300R+2	For 2" (50mm) lift. Requires 15" wheels or larger									
	U4WD-D2D300R4P	For Standard (0") lift. Requires 15" wheels or larger 4-Pot Caliper									
	U4WD- D2D300R4P+2	For 2" (50mm) lift. Requires 15" wheels or larger 4-Pot Caliper									
RANGER	11/2011 - 06/2015	PX	2.2 TDDi 4x4	Front	U4WD-BBUK200F	For Standard (0") and 2" (50mm) lift. Requires 18" wheels or larger					
					U4WD-BUK9	Standard height vehicle.					
					U4WD-BUK9+2	Raised height, 50mm (2") lift.					
					U4WD-BUK9+4	Raised height, 100 mm (4") lift. Not for PX3 models					
				Rear	U4WD-D2D300R	For Standard (0") lift. Requires 15" wheels or larger					
					U4WD-D2D300R+2	For 2" (50mm) lift. Requires 15" wheels or larger					
					U4WD-D2D300R4P	For Standard (0") lift. Requires 15" wheels or larger 4-Pot Caliper					
					U4WD- D2D300R4P+2	For 2" (50mm) lift. Requires 15" wheels or larger 4-Pot Caliper					

= Ultimate 4WD Big Brake Upgrade Kit = Ultimate 4WD Brake Drum Upgrade Kit

MODEL	YEAR	CHASSIS	SERIES	FITTING POSITION	BRAKE UPGRADE KIT	BRAKE UPGRADE KIT FITMENT NOTES
HOLDEN						
COLORADO	06/2012 - 09/2013	RG	2.8 TD 4x4 (U148FH) 2.8 TD 4x4 (U148LH, U148MH)	Front	U4WD-BBUK202F	For standard (0") and 2" (50mm) lift. Requires 18" wheels or larger
					U4WD-BUK10	Standard height vehicle. Flat (Inboard) Rotor. With VSC
					U4WD-BUK10+2	Raised height, 50 mm (2") lift. Flat (Inboard) Rotor. With VSC
					U4WD-BUK29	Standard height vehicle. Flat (Inboard) Rotor. No VSC 2012 - 2017
					U4WD-BUK29+2	Raised height, 50 mm (2") lift. Flat (Inboard) Rotor. No VSC 2012 - 2017
				Rear	U4WD-DBUK710	
COLORADO	10/2013 - 10/2020	RG	2.8 TD 4x4 (U148DK, U148FK, U138FK) 2.8 TD 4x4 (U148MK)	Front	U4WD-BBUK202F	For Production date to 06/2016. For standard (0") and 2" (50mm) lift. Requires 18" wheels or larger
					U4WD-BBUK203F	For Production date from 07/2016 For standard (0") and 2" (50mm) lift. Requires 18" wheels or larger
					U4WD-BUK10	Standard height vehicle. Flat (Inboard) Rotor. With VSC 2012 - 2017
					U4WD-BUK10+2	Raised height, 50 mm (2") lift. Flat (Inboard) Rotor. With VSC 2012 - 2017
					U4WD-BUK29	Standard height vehicle. Flat (Inboard) Rotor. No VSC 2012 - 2017
					U4WD-BUK29+2	Raised height, 50 mm (2") lift. Flat (Inboard) Rotor. No VSC 2012 - 2017
					U4WD-BUK31	Standard height vehicle. From MY 06/2016 (Hat type rotor). With VSC
					U4WD-BUK31+2	Raised height, 50 mm (2") lift. From MY 06/2016 (Hat type rotor). With VSC
				Rear	U4WD-DBUK710	
COLORADO	06/2012 - 09/2013	RG	2.8 TD (U147DH) 2.8 TD (U148CH, U148DH, U148EH)	Front	U4WD-BUK29	Standard height vehicle. No VSC
					U4WD-BUK29+2	Raised height, 50mm (2") lift. No VSC
COLORADO	10/2013 - 10/2020	RG	2.8 TD (U143CK) 2.8 TD (U148CK, U148EK)	Front	U4WD-BUK29	Standard height vehicle. No VSC
					U4WD-BUK29+2	Raised height, 50mm (2") lift. No VSC
					U4WD-BUK31	Standard height vehicle. From MY 06/2016 (Hat type rotor). With VSC
					U4WD-BUK31+2	Raised height, 50 mm (2") lift. From MY 06/2016 (Hat type rotor). With VSC
				Rear	U4WD-DBUK710	
COLORADO	06/2012 - 12/2013	RG	2.4 D (U143AG)	Rear	U4WD-DBUK710	
COLORADO 7	06/2012 - 06/2016	RG	2.8 TD 4WD (U156FH, U156MH) 2.8 TD 4x4 (U156FH, U156MH)	Front	U4WD-BBUK202F	For standard (0") and 2" (50mm) lift. Requires 18" wheels or larger
TRAILBLAZER	07/2016 - 10/2020	RG	2.8 TDi 4x4	Front	U4WD-BUK21	Standard lift (0") From 06/2016. For Hat type rotor and vehicles equipped with Active Stabiliser Control.
					U4WD-BUK21+2	2" (50mm) lift From 06/2016. For Hat type rotor and vehicles equipped with Active Stabilizer Control.

 = Ultimate 4WD Big Brake Upgrade Kit  = Ultimate 4WD Brake Drum Upgrade Kit

MODEL	YEAR	CHASSIS	SERIES	FITTING POSITION	BRAKE UPGRADE KIT	BRAKE UPGRADE KIT FITMENT NOTES				
ISUZU										
D-MAX	06/2012 - 05/2020	TFR TFS	3.0 CRDi 4x4 3.0 CRDi 4x4 (TFS85J)	Front	U4WD-BBUK202F	For standard (0") and 2" (50mm) lift. Requires 18" wheels or larger				
					U4WD-BUK10	Standard height vehicle. Flat (Inboard) Rotor. With VSC				
					U4WD-BUK10+2	Raised height, 50 mm (2") lift. Flat (Inboard) Rotor. With VSC				
					U4WD-BUK29	Standard height vehicle. Flat (Inboard) Rotor. No VSC 2012 - 2017				
					U4WD-BUK29+2	Raised height, 50 mm (2") lift. Flat (Inboard) Rotor. No VSC 2012 - 2017				
				Rear	U4WD-D2D302R	For standard (0") lift with VSC option. Requires 15" wheels or larger				
					U4WD-D2D302R+2	For 2" (50mm) lift with VSC option. Requires 15" wheels or larger				
					U4WD-D2D308R	For standard (0") lift without VSC option. Requires 15" wheels or larger				
					U4WD-D2D308R+2	For 2" (50mm) lift without VSC option. Requires 15" wheels or larger				
					U4WD-DBUK710					
D-MAX	06/2012 - 05/2020	TFR TFS	3.0 CRDi 3.0 CRDi (TFR85J)	Front	U4WD-BBUK202F	For standard (0") and 2" (50mm) lift. Requires 18" wheels or larger				
					U4WD-BUK29	Standard height vehicle. No VSC				
					U4WD-BUK29+2	Raised height, 50mm (2") lift. No VSC				
				Rear	U4WD-D2D302R	For standard (0") lift with VSC option. Requires 15" wheels or larger				
					U4WD-D2D302R+2	For 2" (50mm) lift with VSC option. Requires 15" wheels or larger				
					U4WD-D2D308R	For standard (0") lift without VSC option. Requires 15" wheels or larger				
					U4WD-D2D308R+2	For 2" (50mm) lift without VSC option. Requires 15" wheels or larger				
					U4WD-DBUK710					
				D-MAX	06/2020 - on	TFR TFS	3.0 DDI 3.0 DDI 4x4 3.0 DDI Rear-Wheel Drive (TFS40J)	Front	U4WD-BBUK204F	For standard (0") and 2" (50mm) lift. Requires 18" wheels or larger
								Rear	U4WD-D2D302R	For standard (0") lift with VSC option. Requires 15" wheels or larger
U4WD-D2D302R+2	For 2" (50mm) lift with VSC option. Requires 15" wheels or larger									
U4WD-DBUK710										
D-MAX	10/2021 - on	TFR TFS	1.9 DDI	Rear	U4WD-DBUK710					
MU-X	11/2013 - 05/2021	LS	3.0 CRDi 3.0 CRDi 4x4	Front	U4WD-BBUK202F	For standard (0") and 2" (50mm) lift. Requires 18" wheels or larger				
					U4WD-BUK94	For Standard (0") lift				
					U4WD-BUK94+2	For 2" (50mm) lift				
				Rear	U4WD-BUK95					

= Ultimate 4WD Big Brake Upgrade Kit = Ultimate 4WD Brake Drum Upgrade Kit

MODEL	YEAR	CHASSIS	SERIES	FITTING POSITION	BRAKE UPGRADE KIT	BRAKE UPGRADE KIT FITMENT NOTES
-------	------	---------	--------	------------------	-------------------	---------------------------------

JEEP

GRAND CHEROKEE	10/2010 - 12/2018	WK WK2	3.0 CRD V6 4x4 3.6 V6 4x4 3.6 VT 3.6 V8 4x4 5.7 V8 4x4 6.2 i V8 4x4 6.4 SRT8 4x4	Front	U4WD-BUK25	Standard (0") Lift. For vehicles with 330mm brake rotor (17" wheels)
					U4WD-BUK25+2	For 2" (50mm) Lift. For vehicles with 330mm brake rotor (17" wheels)
					U4WD-BUK49	Standard (0") Lift. For vehicles with 350mm brake rotor (18" wheels)
					U4WD-BUK49+2	For 2" (50mm) Lift. For vehicles with 350mm brake rotor (18" wheels)
				Rear	U4WD-BUK53	For vehicles with 330mm vented rear rotor (17" wheels)
					U4WD-BUK76	For vehicles with 350mm vented rear rotor (18" wheels)

MAZDA

BT-50	11/2011 - 06/2020	B22 B32 UP UR	3.2 MZ-CD (UPOYF1, UROYF1) 3.2 MZ-CD 4WD (UPOYF1, UROYF1)	Front	U4WD-BBUK200F	For standard (0") and 2" (50mm) lift. Requires 18" wheels or larger
					U4WD-BUK9	Standard height vehicle.
					U4WD-BUK9+2	Raised height, 50mm (2") lift.
					U4WD-BUK9+4	Raised height, 100 mm (4") lift.
				Rear	U4WD-D2D300R	For Standard (0") lift. Requires 15" wheels or larger
					U4WD-D2D300R+2	For 2" (50mm) lift. Requires 15" wheels or larger
					U4WD-D2D300R4P	For Standard (0") lift. Requires 15" wheels or larger 4-Pot Caliper
					U4WD-D2D300R4P+2	For 2" (50mm) lift. Requires 15" wheels or larger 4-Pot Caliper

MITSUBISHI

PAJERO SPORT	08/2015 - on	QE QF	2.4 DI-D 4x4 (KS1W)	Front	U4WD-BUK78	For Standard (0") lift
					U4WD-BUK78+2	For 2" (50mm) lift
TRITON	11/2005 - 12/2015	KA4T ML MN	2.4 (KA5T) 2.4 LPG (KA5T) 2.5 DI-D 2.5 DI-D 4WD (KB4T) 2.5 DiD (KA4T) 3.2 DI-D 4WD (KB8T) 3.5 (KA9T)" "3.5 4WD (KB9T) 3.5 i 4WD (KB9T)	Front	U4WD-BUK11	Standard height vehicle. Does not fit MR Triton
					U4WD-BUK11+2	Raised height, 50mm (2") lift. Does not fit MR Triton
				Rear	U4WD-DBUK711	
TRITON	01/2015 - on	KK1T MQ MR	2.4 D 2.4 DI-D (KK1T) 2.4 DI-D 4WD (KL1T)	Front	U4WD-BUK11	Standard height vehicle. Does not fit MR Triton
					U4WD-BUK11+2	Raised height, 50mm (2") lift. Does not fit MR Triton
					U4WD-BUK88	For MR models with standard (0") lift.
					U4WD-BUK88+2	For MR models with 2" (50mm) lift.
				Rear	U4WD-D2D304R	For Standard (0") lift. Requires 15" wheels and larger
					U4WD-D2D304R+2	For 2" (50mm) lift. Requires 15" wheels and larger
TRITON	01/2015 - on	KK4T KL1T MQ MR	2.4 D 4WD 2.4 DI-D 4WD (KJOT) 2.4 i	Front	U4WD-BUK88	For MR models with standard (0") lift.
					U4WD-BUK88+2	For MR models with 2" (50mm) lift.
				Rear	U4WD-D2D304R	For Standard (0") lift. Requires 15" wheels and larger
					U4WD-D2D304R+2	For 2" (50mm) lift. Requires 15" wheels and larger
					U4WD-DBUK711	
TRITON	09/2009 - 12/2015	ML MN	2.4 (KA5T)	Rear	U4WD-DBUK711	
TRITON	11/2014 - on	MQ MR	2.4 (KK4T)	Front	U4WD-BUK11	Standard height vehicle. Does not fit MR Triton
					U4WD-BUK11+2	Raised height, 50mm (2") lift. Does not fit MR Triton
					U4WD-BUK88	For MR models with standard (0") lift.
					U4WD-BUK88+2	For MR models with 2" (50mm) lift.
				Rear	U4WD-DBUK711	

■ = Ultimate 4WD Big Brake Upgrade Kit ■ = Ultimate 4WD Brake Drum Upgrade Kit

MODEL	YEAR	CHASSIS	SERIES	FITTING POSITION	BRAKE UPGRADE KIT	BRAKE UPGRADE KIT FITMENT NOTES
NISSAN						
NAVARA	03/1997 - 02/2015	D22	2.4 4WD 2.4 i 4WD 2.5 Di 4WD 2.5 dCi 4WD 3.0 4WD 3.0 4x4 3.0 TD 4WD 3.2 D 4WD 3.3 4WD	Rear	U4WD-DBUK785	
NAVARA	01/2015 - on	D23 D23T	2.3 DDTTi 2.3 dCi 4x4 2.3 dCi 4x4 (D231)	Front	U4WD-BUK12	Standard height 0". For Dual Cab Smooth Bed Narrow Middle Grade For Dual Cab High a Grade. For Dual cab No Bed For King single Cab For Single Cab
					U4WD-BUK12+2	Raised height, 50 mm (2") suspension lift. For Dual Cab Smooth Bed Narrow Middle Grade. For Dual Cab High a Grade. For Dual cab No Bed. For King single Cab For Single Cab
				Rear	U4WD-D2D305R	For Standard (0") lift. Requires 15" wheels and larger
					U4WD-D2D305R+2	For 2" (50mm) lift. Requires 15" wheels and larger
NAVARA	01/2015 - on	D23 D23T	2.3 DDTTi 2.3 dCi 2.3 dCi (D231)	Front	U4WD-BUK12	Standard height 0". For Dual Cab Middle Narrow grade, For Dual Cab High a Grade. For Dual cab No Bed For King single Cab For Single Cab
					U4WD-BUK12+2	Raised height, 50 mm (2") suspension lift. For Dual Cab Middle Narrow grade. For Dual Cab High a Grade For Dual cab No Bed. For King single Cab For Single Cab
				Rear	U4WD-D2D305R	For Standard (0") lift. Requires 15" wheels and larger
					U4WD-D2D305R+2	For 2" (50mm) lift. Requires 15" wheels and larger
NAVARA	01/2015 - 10/2017	D23 D23T	2.5	Front	U4WD-BUK12	Standard height 0". For Dual Cab Middle Narrow grade. For Dual Cab High a Grade. For Dual cab No Bed For King single Cab For single Cab
					U4WD-BUK12+2	Raised height, 50 mm (2") suspension lift. For Dual Cab Middle Narrow grade. For Dual Cab High a Grade For Dual cab No Bed For King single Cab For single Cab
				Rear	U4WD-D2D305R	For Standard (0") lift. Requires 15" wheels and larger
					U4WD-D2D305R+2	For 2" (50mm) lift. Requires 15" wheels and larger
NAVARA	01/2011 - 10/2015	D40	3.0 dCi 4WD	Front	U4WD-BUK22	For standard (0") lift
					U4WD-BUK22+2	For 2" (50mm) lift
NAVARA	12/2005 - 10/2015	D40	2.5 dCi 2.5 dCi 4WD 2.5 dCi 4WD (D40T) 4.0 4.0 4WD	Front	U4WD-BUK52	For standard (0") lift. For Vehicles built in Spain
					U4WD-BUK52+2	For 2" (50mm) lift. For Vehicles built in Spain
PATHFINDER	07/2005 - 12/2013	R51	2.5 dCi 4WD 3.0 dCi 4.0 4WD	Front	U4WD-BUK66	For Standard(0") and 2"(50mm) lift with 296mm Brake Rotor (16" wheels)
PATROL	02/1999 - 12/2006	GU TY61 Y61	4.2 D 4x4 (TY61)	Front	U4WD-BUK18	Standard height, Non ABS
					U4WD-BUK18+2	Raised height, 50 mm (2"). Non ABS
					U4WD-BUK18+4	Raised height, 100 mm (4"). Non ABS
					U4WD-BUK62+2	For Standard (0") lift and 2" (50mm) lift. For vehicles with ABS
					U4WD-BUK62+4	For 4" (100mm) lift. For vehicles with ABS
PATROL	08/2007 - 12/2016	GU TY61 Y61	3.0 D 4x4 (TY61)	Front	U4WD-BUK18+2	Raised height, 50 mm (2") Non ABS. From 12/2009
					U4WD-BUK18+4	Raised height, 100 mm (4") Non ABS. From 12/2009
					U4WD-BUK63+2	For Standard (0") lift and 2" (50mm) lift For vehicles with ABS up to 12/2009
					U4WD-BUK63+4	For 4" (100mm) lift. For vehicles with ABS up to 12/2009
PATROL	01/1998 - 03/2003	GU Y61	2.8 TDiC (Y61) 4.2 D 4x4 (Y61)	Front	U4WD-BUK18	Standard height. Non ABS
					U4WD-BUK62+2	For Standard (0") lift and 2" (50mm) lift. For vehicles with ABS
					U4WD-BUK62+4	For 4" (100mm) lift. For vehicles with ABS
				Rear	U4WD-BUK40	

 = Ultimate 4WD Big Brake Upgrade Kit  = Ultimate 4WD Brake Drum Upgrade Kit

MODEL	YEAR	CHASSIS	SERIES	FITTING POSITION	BRAKE UPGRADE KIT	BRAKE UPGRADE KIT FITMENT NOTES
NISSAN <i>continued</i>						
PATROL	12/1997 - 05/2007	GU Y61	4.2 D (AUS) 4.5 (Y61)	Front	U4WD-BUK18	Standard height. Non ABS
					U4WD-BUK18+2	Raised height, 50 mm (2"). Non ABS
					U4WD-BUK18+4	Raised height, 100 mm (4"). Non ABS
					U4WD-BUK62+2	For Standard (0") lift and 2" (50mm) lift. For vehicles with ABS
					U4WD-BUK62+4	For 4" (100mm) lift. For vehicles with ABS
				Rear	U4WD-BUK40	
PATROL	05/2000 - 12/2016	GU Y61	3.0 DTi	Front	U4WD-BUK63+2	For Standard (0") lift and 2" (50mm) lift. For vehicles with ABS up to 12/2009
					U4WD-BUK63+4	For 4" (100mm) lift. For vehicles with ABS up to 12/2009
						Rear
PATROL	10/2001 - 12/2012	GU Y61	4.8 (Y61)	Rear	U4WD-BUK40	For Brake rotor diameter = 315mm
PATROL	12/2012 - on	Y62	5.6	Front	U4WD-BUK23	For vehicles with standard and 2" lift suspension.
				Rear	U4WD-BUK48	

TOYOTA								
FJ CRUISER	12/2010 - 01/2018	GSJ15	4.0 4WD (GSJ15_)	Front	U4WD-BUK24	For Standard (0") Lift. For production date from 07/2013		
					U4WD-BUK24+2	For 2" (50mm) Lift. For production date from 07/2013		
					U4WD-BUK80	For Standard (0") Lift. For production date to 07/2013		
					U4WD-BUK80+2	For 2" (50mm) Lift. For production date to 07/2013		
						Rear	U4WD-BUK37	
HILUX	07/2015 - 07/2017	GGN120	4.0 (GGN120_, GGN135_)	Front	U4WD-BUK8	Standard height vehicle 297mm Rotor. Does not suit GUN136		
			U4WD-BUK8+2		Raised height, 50mm (2") lift. 297mm Rotor. Does not suit GUN135			
HILUX	05/2015 - on	GGN125 GUN125 GUN126	2.4 D 4WD (GUN125_) 2.8 D 4WD (GUN126_) 2.8 D 4WD (GUN126_) 4.0 4WD (GGN125, GGN135)	Front	U4WD-BUK2	Standard height vehicle. 319mm Rotor		
			U4WD-BUK2+2		Raised height, 50 mm (2") lift. 319mm Rotor			
HILUX	02/2005 - 08/2015	GGN25	4.0 4WD (GGN25) 4.0 4WD (GGN25_)	Front	U4WD-BUK4	Standard height vehicle. 319mm Rotor. With VSC		
					U4WD-BUK4+2	Raised height, 50 mm (2") lift. 319mm Rotor. With VSC		
					U4WD-BUK4+4	Raised height, 100 mm (4") lift. 319mm Rotor. With VSC		
					U4WD-BUK6	Standard height and 2" lift vehicle suspension. Vehicles without VSC.		
						Rear	U4WD-D2D303R	For Standard (0") lift with VSC option. For production date from 08/2008. Requires 15" wheels and larger
							U4WD-D2D303R+2	For 2" (50mm) lift with VSC option. For production date from 08/2008. Requires 15" wheels and larger
							U4WD-D2D306R	For Standard (0") lift with VSC option. For production date to 07/2008. Requires 15" wheels and larger
							U4WD-D2D306R+2	For 2" (50mm) lift with VSC option. For production date to 07/2008. Requires 15" wheels and larger
							U4WD-D2D307R	"For Standard (0") and 2" (50mm) lift without VSC option. For production date from 08/2008. Requires 15" wheels and larger"
							U4WD-D2D309R	For Standard (0") and 2" (50mm) lift without VSC option. For production date to 07/2008. Requires 15" wheels and larger
HILUX	05/2015 - on	GUN122 GUN123 GUN135	2.4 D (GUN112_, GUN122_, GUN135_, GUN120_)	Front	U4WD-BUK5	With VSC		
					U4WD-BUK8			
HILUX	05/2015 - on	GUN123 TGN121	2.7 (TGN111_, TGN121_, TGN136_) 2.8 D (GUN123_, GUN123) 2.8 D (GUN123_, GUN136_, GUN123)	Front	U4WD-BBUK201F	For standard (0") and 2" (50mm) lift. Requires 18" wheels or larger		
				Rear	U4WD-D2D301R	For standard (0") lift. Requires 15" wheels or larger		
					U4WD-D2D301R+2	For 2" (50mm) lift. Requires 15" wheels or larger		

■ = Ultimate 4WD Big Brake Upgrade Kit
 ■ = Ultimate 4WD Brake Drum Upgrade Kit

MODEL	YEAR	CHASSIS	SERIES	FITTING POSITION	BRAKE UPGRADE KIT	BRAKE UPGRADE KIT FITMENT NOTES
TOYOTA <i>continued</i>						
HILUX	07/2015 - 04/2020	GUN136	2.8 D (GUN123_, GUN136_)	Front	U4WD-BBUK201F	For standard (0") and 2" (50mm) lift. Requires 18" wheels or larger
					U4WD-BUK5	With VSC
					U4WD-BUK5+2	With VSC
				Rear	U4WD-D2D301R	For standard (0") lift. Requires 15" wheels or larger
					U4WD-D2D301R+2	For 2" (50mm) lift. Requires 15" wheels or larger
U4WD-DBUK701						
HILUX	05/2020 - on	GUN136	2.8 D (GUN136)	Front	U4WD-BUK5+2	With VSC
				Rear	U4WD-DBUK701	
HILUX	08/2006 - 09/2015	KUN26	3.0 D-4D 4WD (KUN26)	Front	U4WD-BUK1	Standard height vehicle. For Models till 06/2011 319mm Rotor. With VSC
					U4WD-BUK1+2	Raised height, 50 mm (2") lift. For Models till 06/2011 319mm Rotor. With VSC
					U4WD-BUK1+4	Raised height, 100 mm (4") lift. For Models till 06/2011 319mm. Rotor With VSC
					U4WD-BUK4	For standard (0") lift, from 2011
					U4WD-BUK4+2	For 2" (50mm) lift, from 2011
					U4WD-BUK4+4	For 4" (100mm) lift, from 2011
					U4WD-BUK6	08/2005 - 06/2011. Standard height and 2" lift vehicle suspension. 297mm Rotor. Without VSC No VSC"
				Rear	U4WD-BUK7	07/2011 - 04/2015. Standard height and 2" lift vehicle suspension. 297mm Rotor. No VSC
					U4WD-D2D303R	For Standard (0") lift with VSC option . For production date from 08/2008 Requires 15" wheels and larger
					U4WD-D2D303R+2	For 2" (50mm) lift with VSC option. For production date from 08/2008 Requires 15" wheels and larger
					U4WD-D2D306R	For Standard (0") lift with VSC option. For production date to 07/2008 Requires 15" wheels and larger
					U4WD-D2D306R+2	For 2" (50mm) lift with VSC option. For production date to 07/2008 Requires 15" wheels and larger
					U4WD-D2D307R	For Standard (0") and 2" (50mm) lift without VSC option. For production date from 08/2008. Requires 15" wheels and larger
U4WD-D2D309R	For Standard (0") and 2" (50mm) lift without VSC option. For production date to 07/2008. Requires 15" wheels and larger					
U4WD-DBUK701						

= Ultimate 4WD Big Brake Upgrade Kit
 = Ultimate 4WD Brake Drum Upgrade Kit

MODEL	YEAR	CHASSIS	SERIES	FITTING POSITION	BRAKE UPGRADE KIT	BRAKE UPGRADE KIT FITMENT NOTES
TOYOTA <i>continued</i>						
HILUX	02/2005 - 09/2015	KUN26	3.0 D 4WD (KUN26)	Front	U4WD-BUK1	Standard height vehicle. 319mm Rotor. With VSC
					U4WD-BUK1+2	Raised height, 50 mm (2") lift. 319mm Rotor. With VSC
					U4WD-BUK1+4	Raised height, 100 mm (4") lift. For Models till 06/2011. 319mm Rotor. With VSC
					U4WD-BUK4	For standard (0") lift, from 2011
					U4WD-BUK4+2	For 2" (50mm) lift, from 2011
					U4WD-BUK4+4	For 4" (100mm) lift, from 2011
					U4WD-BUK6	08/2005 - 06/2011. Standard height and 2" lift vehicle suspension. 297mm Rotor. Without VSC No VSC
					U4WD-BUK7	07/2011 - 04/2015. Standard height and 2" lift vehicle suspension. 297mm Rotor. No VSC
				Rear	U4WD-D2D303R	For Standard (0") lift with VSC option. For production date from 08/2008. Requires 15" wheels and larger
					U4WD-D2D303R+2	For 2" (50mm) lift with VSC option. For production date from 08/2008. Requires 15" wheels and larger
					U4WD-D2D306R	For Standard (0") lift with VSC option. For production date to 07/2008. Requires 15" wheels and larger
					U4WD-D2D306R+2	For 2" (50mm) lift with VSC option. For production date to 07/2008. Requires 15" wheels and larger
					U4WD-D2D307R	For Standard (0") and 2" (50mm) lift without VSC option. For production date from 08/2008. Requires 15" wheels and larger
					U4WD-D2D309R	For Standard (0") and 2" (50mm) lift without VSC option. For production date to 07/2008. Requires 15" wheels and larger
					U4WD-DBUK701	
HILUX	12/1999 - 04/2005	KZN165	3.0 TD 4WD (KZN165)	Rear	U4WD-DBUK730	
LAND CRUISER	03/1998 - 07/2002	FZJ105	4.5 i (FZJ105)	Front	U4WD-BUK75	For standard (0") lift without ABS
					U4WD-BUK75+2	For 2" (50mm) lift without ABS
					U4WD-BUK75+4	For 4" (100mm) lift without ABS
					U4WD-BUK79	For standard (0") lift with ABS
					U4WD-BUK79+2	For 2" (50mm) lift with ABS
					U4WD-BUK79+4	For 4"(100mm) lift with ABS
				Rear	U4WD-BUK74	For standard (0") lift with ABS
LAND CRUISER	01/1990 - 01/2007	FZJ78R HZJ70RV HZJ75RP HZJ75RV HZJ78R HZJ79R	4.2 D (HZJ76, HZJ78, HZJ70, HZJ73, HZJ75, HZJ79, HZJ77,... 4.2 D 4x4 (HZJ7 V, HZJ75RP, HZJ79R) 4.5 MPFI 4x4 (FZJ78, FZJ70, FZJ78R, FZJ79)	Front	U4WD-BUK16	For Standard (0") Lift. Manufactured from 08/1999
					U4WD-BUK16+2	For 2" (50mm) Lift. Manufactured from 08/1999
					U4WD-BUK16+4	For 4" (100mm) Lift. Manufactured from 08/1999
LAND CRUISER	08/1999 - 01/2007	FZJ79R HDJ79R	4.2 TD 24V 4x4 (HDJ79R) 4.5 MPFI 4x4 (FZJ79, FZJ79R)	Front	U4WD-BUK16	For standard (0") Lift
					U4WD-BUK16+2	For 2" (50mm) Lift
					U4WD-BUK16+4	For 4" (100mm) Lift
LAND CRUISER	01/1998 - 08/2007	HDJ100 HDJ101 UZJ100	4.2 TD (HDJ100_, HDJ100) 4.2 TD IMPORT (HDJ101_) 4.7 i 4WD (UZJ100_, UZJ100)	Front	U4WD-BUK30	For Standard (0") Lift. With VSC
					U4WD-BUK30+2	For 2" (50mm) Lift. With VSC
					U4WD-BUK69	For standard 0" lift without VSC
					U4WD-BUK69+2	For standard 2" (50mm) lift without VSC
				Rear	U4WD-BUK70	
LAND CRUISER	08/2001 - 02/2007	HDJ78R	4.2 TD 24V 4x4 (HDJ78, HDJ78R)	Front	U4WD-BUK16	For 2" (50mm) Lift
					U4WD-BUK16+2	For 2" (50mm) Lift
					U4WD-BUK16+4	For 4" (100mm) Lift

 = Ultimate 4WD Big Brake Upgrade Kit  = Ultimate 4WD Brake Drum Upgrade Kit

MODEL	YEAR	CHASSIS	SERIES	FITTING POSITION	BRAKE UPGRADE KIT	BRAKE UPGRADE KIT FITMENT NOTES
TOYOTA <i>continued</i>						
LAND CRUISER	01/2012 - 08/2019	URJ202	4.6 V8 (URJ202)	Front	U4WD-BUK17	For Standard (0") lift. For production date from 08/2015 VX and VXR models (with 354mm Rotor)
					U4WD-BUK17+2	For 2" (50mm) lift. For production date from 08/2015 VX and VXR models (with 354mm Rotor)
					U4WD-BUK61	For Standard (0") lift 340mm Rotor. From 2012.01 to 2015.07 - All Models From 2015.08 - Only GX, GXL models
					U4WD-BUK61+2	For 2" (50mm) lift 340mm Rotor. From 2012.01 to 2015.07 - All Models From 2015.08 - Only GX, GXL models
LAND CRUISER	08/2007 - 01/2012	UZJ200	4.7 V8 (UZJ200)	Front	U4WD-BUK15	For Standard (0") lift. For production date to 01/2012 with 340mm Rotor
					U4WD-BUK15+2	For 2" (50mm) lift. For production date to 01/2012 with 340mm Rotor
				Rear	U4WD-BUK35	Suits all LC 200 Series
LAND CRUISER	09/2007 - 06/2021	VDJ200	4.5 D-4D (VDJ200)	Front	U4WD-BUK15	For Standard (0") lift. For production date to 01/2012 with 340mm Rotor
					U4WD-BUK15+2	For 2" (50mm) lift. For production date to 01/2012 with 340mm Rotor
					U4WD-BUK17	For Standard (0") lift. For VX and VXR models (with 354mm Rotor)
					U4WD-BUK17+2	For 2" (50mm) lift. VX and VXR models (with 354mm Rotor)
					U4WD-BUK61	For Standard (0") lift 340mm Rotor. From 2012.01 to 2015.07 - All Models From 2015.08 - Only GX, GXL models
					U4WD-BUK61+2	For 2" (50mm) lift 340mm Rotor. From 2012.01 to 2015.07 - All Models From 2015.08 - Only GX, GXL models
				Rear	U4WD-BUK35	Suits all LC 200 Series
LAND CRUISER	01/2007 - on	VDJ76R VDJ78R	4.5 TD 24V 4x4 (VDJ76, VDJ78, VDJ76R, VDJ78R)	Front	U4WD-BUK16	Standard height (0") lift. Suits to 8/2014. No ABS
					U4WD-BUK16+2	Raised height, 50 mm (2") lift. Suits to 8/2014. No ABS
					U4WD-BUK16+4	Raised height, 100 mm (4") lift. Suits to 8/2014. No ABS
					U4WD-BUK43	Standard height vehicle Suits to - 08/2016. With Single Channel ABS (w/o VSC)
					U4WD-BUK43+2	2" Lift. Suits to - 08/2016. With Single Channel ABS (w/o VSC)
					U4WD-BUK43+4	4" Lift. Suits to - 08/2016. With Single Channel ABS (w/o VSC)
					U4WD-BUK45	Standard ride height Suits 08/2016 - on. With Dual Channel ABS (with VSC)
					U4WD-BUK45+2	2" lift. Suits 08/2016 - on. With Dual Channel ABS (with VSC)
					U4WD-BUK45+4	4" lift. Suits 08/2016 - on. With Dual Channel ABS (with VSC)
				Rear	U4WD-BUK34	Suits all LC VDJ76/78/79 Series
LAND CRUISER PRADO	01/2007 - on	VDJ79R	4.5 TD 24V 4x4 (VDJ79, VDJ79R)	Front	U4WD-BUK16	Standard height, (0 mm lift). Suits to 8/2014. No ABS
					U4WD-BUK16+2	Raised height, 50 mm (2") lift. Suits to 8/2014. No ABS
					U4WD-BUK16+4	Raised height, 100 mm (4") lift. Suits to 8/2014. No ABS
					U4WD-BUK43	Standard height vehicle Suits to - 08/2016. With Single Channel ABS (w/o VSC)
					U4WD-BUK43+2	2" Lift. Suits to - 08/2016. With Single Channel ABS (w/o VSC)
					U4WD-BUK43+4	4" Lift. Suits to - 08/2016. With Single Channel ABS (w/o VSC)
					U4WD-BUK45	Standard ride height Suits 08/2016 - on. With Dual Channel ABS (with VSC)
					U4WD-BUK45+2	2" lift. Suits 08/2016 - on. With Dual Channel ABS (with VSC)
					U4WD-BUK45+4	4" lift. Suits 08/2016 - on. With Dual Channel ABS (with VSC)
				Rear	U4WD-BUK34	Suits all LC VDJ76/78/79 Series
LAND CRUISER PRADO	07/2020 - on	GDJ150	2.8 D-4D (GDJ155, GDJ150)	Rear	U4WD-BUK37	Suits All Prado 150 Series

= Ultimate 4WD Big Brake Upgrade Kit = Ultimate 4WD Brake Drum Upgrade Kit

MODEL	YEAR	CHASSIS	SERIES	FITTING POSITION	BRAKE UPGRADE KIT	BRAKE UPGRADE KIT FITMENT NOTES
TOYOTA <i>continued</i>						
LAND CRUISER PRADO	06/2015 - 09/2020	GDJ150 GRJ150	2.8 D-4D (GDJ150_, GDJ155_, GDJ150) 4.0 V6 WTi (GRJ150_, GRJ125_, GRJ150)	Front	U4WD-BUK87+2	For vehicles with up to 2" lift. Manufactured From 08/2013 to 10/2020
				Rear	U4WD-BUK37	Suits All Prado 150 Series
LAND CRUISER PRADO	09/2002 - 12/2010	GRJ120 KDJ120 KDJ125 KZJ120	3.0 D (KZJ120_) 3.0 D-4D (KDJ120, KDJ125, KDJ121) 3.0 D-4D (KZJ12) 4.0 (GRJ120) 4.0 V6 WTi (GRJ120)	Front	U4WD-BUK33	Standard height vehicle.
					U4WD-BUK33+2	Raised height, 50 mm (2") lift
				Rear	U4WD-BUK41	Suits All Prado 120 Series
LAND CRUISER PRADO	08/2009 - 06/2015	GRJ150	4.0 V6 WTi (GRJ150)	Front	U4WD-BUK19	Standard height vehicle. With ABS up to 10/2013
					U4WD-BUK19+2	Raised height, 50 mm (2") lift. With ABS up to 10/2013
					U4WD-BUK87+2	For vehicles with up to 2" lift Manufactured From 08/2013 to 10/2020
				Rear	U4WD-BUK37	Suits All Prado 150 Series
LAND CRUISER PRADO	08/2009 - 06/2015	KDJ150	3.0 D-4D (KDJ150_, KDJ150, KDJ155)	Front	U4WD-BUK19	Standard height vehicle. With ABS up to 08/2013
					U4WD-BUK19+2	Raised height, 50 mm (2") lift. With ABS up to 08/2013
					U4WD-BUK87+2	For vehicles with up to 2" lift. Manufactured From 08/2013 to 10/2020,
				Rear	U4WD-BUK37	Suits All Prado 150 Series

VOLKSWAGEN						
AMAROK	09/2010 - 07/2019	2HA 2HB S1B S6B S7A S7B	2.0 BiTDI 2.0 BiTDI 4motion 2.0 TDI 2.0 TDI 4motion 2.0 TSI	Front	U4WD-BUK14	Standard height vehicle.
					U4WD-BUK14+2	Raised height, 50 mm (2") lift.
				Rear	U4WD-DBUK714	

= Ultimate 4WD Big Brake Upgrade Kit = Ultimate 4WD Brake Drum Upgrade Kit



Scan here for more info:



ULTIMATE 4WD™ BRAKE BOOSTER UPGRADE

Introducing the **Bendix Ultimate 4WD™ Brake Booster Upgrade**, an essential addition for 4WDs towing or carrying heavy loads. With this easy-to-fit upgrade, braking performance is increased by up to 30%.

The **Bendix Ultimate 4WD™ Brake Booster Upgrade** uses dual-diaphragm technology and is ADR compliant. The upgrade has been designed to be a direct 'bolt-in' replacement for original equipment (OE), single-diaphragm brake boosters.

4WD vehicles fitted with added mass and larger-diameter tyres require higher brake pedal pressure for effective braking.

Brake pedal pressure required and braking effectiveness (including improved stopping distances) can be achieved by fitting a dual-diaphragm booster.




DUAL DIAPHRAGM

VEHICLE APPLICATIONS

MODEL	SERIES	DESCRIPTION	YEAR	PART #
TOYOTA				
LAND CRUISER	HZJ73/ 75 78/ 79, FZJ73/ 78/ 79	No ABS	1990 - 200	U4WD-BBHZJ7NOABS
LAND CRUISER	VDJ76/ 78/ 79	No ABS	01/2007 - 08/2012	U4WD-BBLC7NOABS
LAND CRUISER	VDJ76/ 78/ 79	With ABS or ABS + VSC	08/2012 - 0n	U4WD-BBLC7ABS
LAND CRUISER	FJ80, FZJ80, HDJ80, HZJ80	No ABS, 2 bolt master cylinder	01/1990 - 12/1997	U4WD-BBLC80



ULTIMATE 4WD™ BRAKE BOOSTER UPGRADE

FEATURES:	BENEFITS:
<p>Partner with Bendix Ultimate 4WD™ Brake Upgrade Kit</p> 	<ul style="list-style-type: none"> Improved Brake performance for your 4x4 Reduce Pedal effort and improve braking performance
<p>Bolt in replacement</p>	<ul style="list-style-type: none"> Installation instructions included
<p>ADR Certification details included</p>	<ul style="list-style-type: none"> All information required for Engineering / Transport Authority



OE LOGBOOK SERVICING

Bendix brake components are appropriate for the purpose intended and if installed by qualified staff, to the vehicle manufacturer's specifications, can be used in logbook servicing.



LEADING TECHNOLOGY

Bendix engineers are dedicated to building more control, less noise and faster installation into every new product we create.

CHOOSE THE RIGHT PART FOR YOUR VEHICLE ONLINE AT [BENDIX.COM.AU](https://www.bendix.com.au)
Or Freecall the Bendix Brake Advice Centre on **1800 819 666**

© 2022 FMP Group (Australia) Pty Ltd. Bendix is a trademark of Garrett Advancing Motion Inc. This book is subject to copyright. Except as permitted under the Copyright Act 1968 (Cth), no part of this book may be reproduced or transmitted in any form or by any means, or stored in any retrieval system of any nature, without the prior written permission of the copyright owner. Whilst every endeavour is made to ensure that the information produced is correct, no responsibility for the contents of this supplement is accepted. Reproduction of any kind whatsoever, in whole or in part, is subject to our express approval. For this purpose, please contact the Marketing Department of FMP on (03) 9244 7000 or +61 3 5327 0211 from outside Australia.

NOTE: Brakes are a critical safety system of a vehicle. The brake system should not be interfered with by anybody who does not have the appropriate skills and experience. Brake pads should be replaced by a qualified mechanic.

* Bendix brake components are appropriate for the purpose intended and if installed by qualified staff, to the vehicle manufacturer's specifications, can be used in logbook servicing.

FOR MORE INFORMATION ABOUT THESE PRODUCTS

Freecall the Bendix Brake Advice Centre on
1800 819 666 (8am-5pm Monday to Friday EST)
or **+61 3 5327 0211** from overseas.
Visit our website [bendix.com.au](https://www.bendix.com.au) / [bendix.co.nz](https://www.bendix.co.nz) or
email us, brakeadvicecentre@bendix.com.au

*Put your foot down
with confidence™*

